
FIG.1



l







FIG.3






F1G.4A



F16.4









FIG.5






FIG.7




FIG.8




FIG.9





FIG.10









FIG.12






FIG.14




FIG.15





FIG.16



Inventor: Daisaku HORIE et al Attorney Docket No. 15162/05690 Sheet 17 of 42

FIG.17A




FIG.17B




FIG. 17C




FIG.17D




FIG.18




FIG.19




FIG.20




FIG.21





FIG.22



Inventor: Daisaku HORIE et al Attorney Docket No. 15162/05690 Sheet 22 of 42

FIG.23A




FIG.23B




FIG.24A




FIG.25




FIG.26




FIG.27A






FIG.27B






FIG.27C




ENCLOSED BY BROKEN LINE

OFFSET CORRECTION

FIG.27D





F16.28

FIG. 29A

CAUSE OF CHANGE	KIND OF CH CONDITION	HANGE ABOUT SHOOTING INDICATED IN CONDITION INFORMATION	PHENOMENA	AFFECTED FEATURE QUANTITY (FEATURE FACTOR)
	LIGHTING CHANGE	ILLUMINANCE SHADOW WHITE BALANCE	CHANGE IN FLESH COLOR OR HAIR COLOR	FLESH COLOR CHROMATICITY OR HAIR COLOR CHROMATICITY
		PARTY (COUPLE OR FAMILY)	CHANGE IN OVERLAPPING OF PEDESTRIANS DUE TO (COUPLE OR FAMILY) INCREASE OF THE NUMBER OF CUSTOMERS	SHOULDER CENTER DEGREE
TIME	QH/VCT9112	ACE PDACKET	CHANGE IN HAIR COLOR, HAIR STYLE, BELONGINGS, CLOTHING OR ACCESSORY	FLESH COLOR CHROMATICITY, HAIR COLOR CHROMATICITY, SEMIELLIPSE CENTER DEGREE OR SHOULDER CENTER DEGREE
CHANGE	CHANGE CLASS CHANGE	AGE BRACNE!	ТНБІСНТ	FLESH COLOR CHROMATICITY, HAIR COLOR CHROMATICITY, SEMIELLIPSE CENTER DEGREEOR OR SHOULDER CENTER DEGREE
			CHANGE IN OVERLAPPING OF PEDESTRIANS	SHOULDER CENTER DEGREE
		WALKING SPEED	CHANGE IN TIME DIFFERENTIAL DETECTION ACCURACY	SEMIELLIPSE CENTER DEGREE OR SHOULDER CENTER DEGREE
	THE NUMBER OF CUSTOMERS	CUSTOMERS	CHANGE IN OVERLAPPING OF PEDESTRIANS DUE TO INCREASE OF THE NUMBER OF CUSTOMERS	SHOULDER CENTER DEGREE

FIG. 29B

KIND OF CHANGE ABOUT SHOOTING CONDITION INDICATED IN CONDITION INFORMATION	CONDITION	PHENOMENA		AFFECTED FEATURE QUANTITY (FEATURE FACTOR)
NGLE SHADO		CHANGE IN FLESF OR HAIR COLOR		FLESH COLOR CHROMATICITY OR HAIR COLOR CHROMATICITY
CHANGE OVERLAPPING OF CHANGE IN OVERLAPPING PEDESTRIANS OF PEDESTRIANS	PPING OF RIANS	CHANGE IN OVEI OF PEDESTRIANS	_	SHOULDER CENTER DEGREE
ENT ION ICY	ENT ION ICY	CHANGE IN TIME DIFFERENTIAL DI ACCURACY	ETECTION	CHANGE IN TIME DIFFERENTIAL DETECTION SHOULDER CENTER DEGREE ACCURACY
		CHANGE IN AMOU AREA HAVING SA	JNT OF ME COLOR	CHANGE IN AMOUNT OF AREA HAVING SAME COLOR FLESH COLOR CHROMATICITY OR
AS FLESH COLOR OR HAIR COLOR OR HAIR COLOR OR HAIR		AS FLESH COLOF COLOR EXCEPT 1		HAIR COLOR CHROMATICITY
IN BACKGROUND CHANGE IN AMOUNT OF EDGE EXCEPT HEAD		CHANGE IN AMO EDGE EXCEPT H	JF.	SEMIELLIPSE CENTER DEGREE OR SHOULDER CENTER DEGREE
CHANGE IN EXTRACTION ACCURACY OF SUBJECT CONTOUR	CHANGE IN EXTI ACCURACY OF S CONTOUR	CHANGE IN EXTI ACCURACY OF S CONTOUR	7	SEMIELLIPSE CENTER DEGREE OR SHOULDER CENTER DEGREE
ATION NO.		SEE EIC 99A	:	FLESH COLOR CHROMATICITY, HAIR COLOR CHROMATICITY, SEMIELLIPSE
		10.637		CENTER DEGREE OR SHOULDER CENTER DEGREE
				FLESH COLOR CHROMATICITY, HAIR
CUSTOMER CLASS SEE FIG.29A		SEE FIG.29A		CENTER DEGREE OR
				SHOULDER CENTER DEGREE
THE NI IMBER OF				FLESH COLOR CHROMATICITY, HAIR
CUSTOMERS SEE FIG.29A		SEE FIG.29A		CENTER DEGREE OR
				SHOULDER CENTER DEGREE

FIG.30




FIG.31

TL0

ENVI	ENVIRONMENT PARAMETERS		RELIABILITY VALUES				
θ 1	θ2	•••	θΝ	R1	R2	R3	R4
0	0	•••	0	10	10	10	10
1	0	•••	0	20	10	10	10
2	0	•••	0	30	10	10	10
•	:	•		•	•	•	•

FIG.32




FIG.33




FIG.34






FIG.35





Inventor: Daisaku HORIE et al Attorney Docket No. 15162/05690 Sheet 37 of 42






FIG.38



HEIGHT Hh1 = h \times 1.5 \times 2 + 1 WIDTH Hw1 = w \times 1.5 \times 2 + 1 HEIGHT Hh2 = h \times 1.5 \times 2 + 1 WIDTH Hw2 = w \times 1.5 \times 2 + 1

FIG.39



Inventor: Daisaku HORIE et al Attorney Docket No. 15162/05690 Sheet 40 of 42

FIG.40

<u>TL1</u>

	RELIABILIT	Y VALUES	,	OPERATION METHOD MUMBER
R1	R2	R3	R4	OPERATION METHOD NUMBER m
10	10	10	10	1
20	10	10	10	1
30	10	10	10	2
	•	•		:

Inventor: Daisaku HORIE et al Attorney Docket No. 15162/05690 Sheet 41 of 42

FIG.41




FIG.42

